

<TPX-100>

Date of revision: Jan 9, 2015

1. Identification of the substance / preparation and of the company / undertaking

Product name: TPX-100
 Applications Recommended: Photocatalytic coating agent
 Manufacturer: Kon Corporation
 Address: 22646, Matsunokihara, Miyano, Yamauchi-cho, Takeo-City,
 Saga-prefecture, Japan
 Tel: +81-954-20-7115
 Fax: +81-954-20-7116
 Manager: Takaharu Fujii
 In case of emergency contact: Quality control department
 Tel: +81-954-20-7115

2. Hazards identification		
【GHS classification】		
Physical hazards	Flammable liquid	Not classified
	Pyrophoric liquid	Not classified
	Self-heating liquid	Not classified
	Water-reactive flammable chemicals	Not classified
	Oxidizing liquid	Not classified
	Metal corrosive substance	Unclassifiable
Health hazards	Acute toxicity(Oral)	Not classified
	Acute toxicity(Transdermal)	Not classified
	Acute toxicity(Inhalation: Steam)	Unclassifiable
	Acute toxicity(Inhalation: Dust, Mist)	Not classified
	Skin corrosivity / Irritative	Not classified
	Damaging Serious / irritation to the eye	Not classified
	Respiratory sensitization	Unclassifiable
	Skin sensitization	Unclassifiable
	Germ cell mutagenicity	Not classified
	Carcinogenic	Unclassifiable
	Specific target organ toxicity(single exposure)	Unclassifiable
	Specific target organ toxicity(repeated exposure)	Unclassifiable
Environmental hazards	Aquatic environmental hazards(Acute)	Unclassifiable
	Aquatic environmental hazards(Chronic)	Unclassifiable
	Harmful effect on the ozone layer	Unclassifiable

※Hazard information not mentioned above, are “Not a classification target” or “Unclassifiable”.

3. Composition / Information on ingredients

Distinction of single product or mixture : Mixture (Aqueous dispersion)

Component name	Content	Chemical formula	CAS No.
Titanium oxide (IV)	0.9~1.1wt%	TiO ₂	13463-67-7
Peroxotitanium acid		$Ti_2O_5(OH)_x^{(x-2)-}$ [x ≥ 2]	905310-10-3
Water	98.9~99.1wt%	H ₂ O	7732-18-5

4. First aid measures

Inhalation	Remove to fresh air, and take a rest in the easy style of breathes. Get medical attention/advice if you feel unwell.
Ingestion	Wash out mouth. Receive medical attention, the allowance. Get medical attention/advice if you feel unwell.
Skin contact	Wash the affected area with plenty of water. If skin irritation or rash occurs, get medical advice/attention.

<TPX-100>

Eye contact	Rinse cautiously with clean water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eyes irritation persists, get medical advice/attention.
-------------	--

5. Fire-fighting measures

For the product itself does not burn, if this product is involved in a fire, never to be taken into account especially for firefighting.

6. Accidental release measures

Personal precaution	Wear proper protective equipment.
Environment precautions	Prevent from flowing out into sewer, watercourse or river.
Methods and materials for containment and cleaning up	Collect in a container empty. Wipe off residual spill by using absorbing water paper or cloth, and collect in plastic bag.
Measures to prevent secondary disaster	The product which was remained on the floor are risk of slipping , collect carefully, and wipe enough.

7. Handling and storage

Handling	Wear proper protective equipment to avoid contact and inhalation. Use only outdoors or in a well-ventilated area.
Storage conditions	Store the product in a cool and dark space of 5 ~ 25 °C (No freezing).
Incompatible materials	No information
Packaging materials	Metal containers should be avoided because of the potential for corrosion by water. Be placed in sealable containers for quality maintenance.

8. Exposure controls / Personal protection

Allowable concentration	(temporary) 0.3 mg / m ³ (TiO ₂ ; Titanium dioxide nanoparticle) <Japan Society for Occupational Health(2013)>	
Engineering measures	Placing local or whole exhaust ventilation.	
Protective equipment	Respiratory protection	Wear dust mask or an appropriate respiratory protective equipment.
	Hand protection	Wear appropriate protective gloves.
	Eye protection	Wear appropriate protective glasses.
	Skin and body protection	Wear the appropriate protective clothing.
Hygiene measures	When using this product, do not eat, drink or smoke. Wash your hands clean after handling.	

9. Physical and chemical properties

Appearance	Yellow translucent liquid
Smell	None
pH	7~9
Melting point / freezing point	No data
Boiling point	100°C (Water)
Flash point	Noncombustibility
Explosive range	Non-explosive
Vapor pressure	3.2kPa/25°C (Water)
Vapor density	No data
Specific gravity (relative density)	1.00 (25°C)

<TPX-100>

Solubility in water	Dispersion
Octanol / water partition coefficient	No data
Decomposition temperature	No data
Viscosity	< 12 mPa·s

10. Stability and reactivity

Stability	Stable in normal handling conditions	
Possibility of a hazardous reactions	No information	
Conditions to avoid	Incompatible materials	Material was prohibited from mixing with water
	Hazardous decomposition products	No information

11. Toxicological information

Acute toxicity	Oral	【Titanium oxide (IV)】LD ₅₀ >10,000 mg/kg (IUCALID (2000)); rat From the above, classified as "Not classified".
	Transdermal	【Titanium oxide (IV)】approxLD ₅₀ >10,000 mg/kg (IUCALID (2000)); rabbit From the above, classified as "Not classified".
	Dust / mist inhalation	【Titanium oxide (IV)】LC ₅₀ >6.82 mg/L/4h (IUCALID (2000)); rat From the above, classified as "Not classified".
Skin corrosion / irritation	【Titanium oxide (IV)】0.5g/24h= Mild irritation, 0.1g/24h=None (IUCALID (2000)); rabbit From the above, classified as "Not classified".	
Serious eye damage / eye irritation	【Titanium oxide (IV)】 There is a result of that there is mild irritation, but as a result of that there is no irritating in (was washed in 5 minutes after application) Another test is obtained. (IUCALID (2000)); rabbit However, because titanium oxide (IV) concentration of this product is less than 10%, classified as "Not classified".	
Respiratory sensitization / skin sensitization	【Titanium oxide (IV)】 No data From the above, classified as "Unclassifiable".	
Germ cell mutagenicity	【Titanium oxide (IV)】 Negative in the bone marrow cell micronucleus test / chromosome aberration test was carried out under the condition that the belly vaginal administration of mouse. (NTPDB(2005)) From the above, classified as "Not classified".	
Carcinogenic	【Titanium oxide (IV)】 In IARC, it is classified into groups 2B. However, the occurrence of tumors in inhalation exposure test to the lung to rats and mice and hamsters, observed only for rats of high-dose administration. Moreover, similar trend was observed the tests for rats using other inert poorly soluble particles. It is considered that the rat-peculiar immune system acted. In epidemiological population studies on human made in Europe and North America, the causal relationship of titanium oxide and carcinogenicity did not show.(March 2012 dated 25 issue; Japan titanium oxide Industry Association of opinion) From the above, classified as "Unclassifiable"	
Reproductive toxicity	【Titanium oxide (IV)】 No data From the above, classified as "Unclassifiable".	
Specific target organ toxicity (single exposure)	【Titanium oxide (IV)】 Lethal dose by oral administration in rats is 10,000 mg / kg or more. In addition, the Ingestion of this substance in humans is regarded substantially harmless. Moreover "oral" is classified as "Not classified". However, the data in the other path is insufficient. From the above, classified as "Unclassifiable".	

<TPX-100>

Specific target organ toxicity (repeated exposure)	<p>【Titanium oxide (IV)】 In any of the tests on rats and mice, it is no influence caused by exposure at a dose of 1,250 mg/kg/day more than the upper limit guidance. On the other hand, there is a description that the pneumoconiosis changes for few worker of occupational exposure more than 20 years were revealed. The epidemiological studies that main purpose is whether titanium oxide has fibrosis effect have been often performed. However, the most of the studies are negative for the causal relationship. The hard evidence of association between titanium oxide and pulmonary fibrosis has not found. In case of inhalation exposure to rats for 2 years exceeding the guidance concentration upper limit of 250 mg/m³ (5days/week, 6h/day : dust), serious effect was not observed. However, there is no data of percutaneous exposure the other. From the above, classified as "Unclassifiable".</p>
Aspiration hazard	No data

12. Ecological information

Aquatic environment acute hazard	No data	
Aquatic environment chronic hazard	No data	
Biological toxicity	Fish toxicity	No data
Persistence / degradability	Bioaccumulation	No data
	Mobility in the soil	No data

13. Disposal considerations

Residual waste	Avoid release to the environment. Disposal of contents and container must be in accordance with the criteria of the relevant laws and regulations.
----------------	--

14. Transport information

International regulation	Maritime Regulatory Information	Non-hazardous materials
	Aviation regulatory information	Non-hazardous materials
National regulations (Japan)	Land regulatory information	Not applicable
	Maritime Regulatory Information	Non-hazardous materials
	Aviation regulatory information	Non-hazardous materials
Special safety measures	In case of stowing, give no damage. Reliably prevent collapse of cargo. Please make sure that there is nothing of any leaked liquid upon transportation. Be placed in a cool, dark place.	

15. Regulatory information

Follow all regulations in your country.
【In Japan】
Chemical Substances Control Law
Industrial Safety and Health Act
Act on Prevention of Marine Pollution and Maritime Disaster

<TPX-100>

16. Other information

Data that has been described here are based on the latest knowledge and experience. The purpose of the safety data sheet is intended to provide information of how to use safely this product. Data that has been described here, does not guarantee any performance of the product.

Notes are intended for normal using. In the case of special using, should be considered this point. In addition, this product has been containing water. Therefore, if you have long-term storage in a metal container, please note that there is a possibility that the container is corroded.

【References】

1. GHS data-base (NITE; National Institute of Technology and Evaluation)
2. SANGYO CHUDOKU-BINRAN (Written in Japanese) (SIKAYAKUSYUPPAN Co., Ltd)
3. Handbook of Danger and Harmful Chemical Substances
(JISHA; Japan Industrial Safety and Health Association)
4. JIS Z 7253
5. Applicable laws and regulations
6. Other available data